


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((transimpedance amplifier and cascode)&lt;in&gt;metadata)"

Print

Your search matched 26 of 1351118 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

view selected items

[Select All](#) [Deselect All](#)

- ☐ 1. DC-to-15- and DC-to-30-GHz CMOS distributed transimpedance amplifier:  
Ren-Chieh Liu; Huei Wang;  
[Radio Frequency Integrated Circuits \(RFIC\) Symposium, 2004. Digest of Paper 6-8 June 2004 Page\(s\):535 - 538](#)  
Digital Object Identifier 10.1109/RFIC.2004.1320676  
[AbstractPlus](#) | [Full Text: PDF\(338 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 2. 1-Gb/s 80-dB/spl Omega/ fully differential CMOS transimpedance amplifie  
oxide technology for optical interconnects  
Sung Min Park; Jaeseo Lee; Hoi-Jun Yoo;  
[Solid-State Circuits, IEEE Journal of](#)  
Volume 39, Issue 6, June 2004 Page(s):971 - 974  
Digital Object Identifier 10.1109/JSSC.2004.827795  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(344 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 3. 1.25-Gb/s regulated cascode CMOS transimpedance amplifier for Gigabit  
applications  
Sung Min Park; Hoi-Jun Yoo;  
[Solid-State Circuits, IEEE Journal of](#)  
Volume 39, Issue 1, Jan. 2004 Page(s):112 - 121  
Digital Object Identifier 10.1109/JSSC.2003.820884  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(512 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 4. A 2.4 GHz 82 dB/spl Omega/ fully differential CMOS transimpedance amp  
receiver based on wide-swing cascode topology  
Yanjie Wang; Raut, R.;  
[Circuits and Systems, 2005. ISCAS 2005. IEEE International Symposium on 23-26 May 2005 Page\(s\):1601 - 1605 Vol. 2](#)  
Digital Object Identifier 10.1109/ISCAS.2005.1464909  
[AbstractPlus](#) | [Full Text: PDF\(264 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 5. Folded-cascode transimpedance amplifier for burst-mode applications  
Schneider, K.; Zimmermann, H.;  
[Electron Devices for Microwave and Optoelectronic Applications, 2002. EDMO](#)

[IEEE International Symposium on](#)  
18-19 Nov. 2002 Page(s):294 - 299

[AbstractPlus](#) | Full Text: [PDF](#)(388 KB) [IEEE CNF](#)  
[Rights and Permissions](#)

- ☐ 6. **GalnP/GaAs HBT broadband monolithic transimpedance amplifiers and ti frequency small and large signal characteristics**  
Jae-Woo Park; Mohammadi, S.; Pavlidis, D.; Dua, C.; Guyaux, J.L.; Garcia, J.-  
[Microwave Symposium Digest, 1998 IEEE MTT-S International](#)  
Volume 1, 7-12 June 1998 Page(s):39 - 42 vol.1  
Digital Object Identifier 10.1109/MWSYM.1998.689319  
[AbstractPlus](#) | Full Text: [PDF](#)(360 KB) [IEEE CNF](#)  
[Rights and Permissions](#)
  
- ☐ 7. **GalnP/GaAs HBT broadband monolithic transimpedance amplifiers and ti frequency small and large signal characteristics**  
Jae-Woo Park; Mohammadi, S.; Pavlidis, D.; Dua, C.; Guyaux, J.L.; Garcia, J.-  
[Radio Frequency Integrated Circuits \(RFIC\) Symposium, 1998 IEEE](#)  
7-9 June 1998 Page(s):179 - 182  
Digital Object Identifier 10.1109/RFIC.1998.682075  
[AbstractPlus](#) | Full Text: [PDF](#)(336 KB) [IEEE CNF](#)  
[Rights and Permissions](#)
  
- ☐ 8. **New analysis technique of transimpedance amplifiers with cascode struc to a DC-2.5 GHz MMIC amplifier**  
Cadenas, C.C.; Martinez, F.P.;  
[Electrotechnical Conference, 1994. Proceedings., 7th Mediterranean](#)  
12-14 April 1994 Page(s):613 - 616 vol.2  
Digital Object Identifier 10.1109/MELCON.1994.381016  
[AbstractPlus](#) | Full Text: [PDF](#)(220 KB) [IEEE CNF](#)  
[Rights and Permissions](#)
  
- ☐ 9. **Large-signal characteristics of InP-based heterojunction bipolar transist optoelectronic cascode transimpedance amplifiers**  
Samelis, A.; Pavlidis, D.; Chandrasekhar, S.; Lunardi, L.M.; Rios, J.;  
[Electron Devices, IEEE Transactions on](#)  
Volume 43, Issue 12, Dec. 1996 Page(s):2053 - 2061  
Digital Object Identifier 10.1109/16.544374  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(913 KB) [IEEE JNL](#)  
[Rights and Permissions](#)
  
- ☐ 10. **2.5 Gbit/s CMOS transimpedance amplifier for optical communication ap**  
Sung Min Park; Hoi-Jun Yoo;  
[Electronics Letters](#)  
Volume 39, Issue 2, 23 Jan 2003 Page(s):211 - 212  
[AbstractPlus](#) | Full Text: [PDF](#)(330 KB) [IEEE JNL](#)
  
- ☐ 11. **A 3.3V 10Gb/s SiGe limiting transimpedance amplifier using a pseudo-di and a limiting Cherry-Hooper stage**  
Maxim, A.;  
[Radio Frequency Integrated Circuits \(RFIC\) Symposium, 2005. Digest of Paper](#)  
12-14 June 2005 Page(s):313 - 316  
Digital Object Identifier 10.1109/RFIC.2005.1489795  
[AbstractPlus](#) | Full Text: [PDF](#)(285 KB) [IEEE CNF](#)  
[Rights and Permissions](#)
  
- ☐ 12. **A packaged low-noise high-speed regulated cascode transimpedance an 0.6µm N-well CMOS technology**  
Sung Min Park; Toumazou, C.;

Solid-State Circuits Conference, 2000. ESSCIRC '00. Proceedings of the 26th  
19-21 Sept. 2000 Page(s):431 - 434

[AbstractPlus](#) | Full Text: [PDF\(392 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

- ☐ **13. Gigabit CMOS transimpedance amplifiers for optical communication app**  
Sung Min Park;  
Science and Technology, 2003. Proceedings KORUS 2003. The 7th Korea-Ru  
Symposium on  
Volume 2, 28 June-6 July 2003 Page(s):211 - 215 vol.2  
Digital Object Identifier 10.1109/KORUS.2003.1222607  
[AbstractPlus](#) | Full Text: [PDF\(334 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **14. Low noise current-mode CMOS transimpedance amplifier for giga-bit opt**  
**communication**  
Park, S.M.; Toumazou, C.;  
Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE Interna  
on  
Volume 1, 31 May-3 June 1998 Page(s):293 - 296 vol.1  
Digital Object Identifier 10.1109/ISCAS.1998.704419  
[AbstractPlus](#) | Full Text: [PDF\(360 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **15. An enhanced GaAs monolithic transimpedance amplifier for low noise ar**  
**optical communications**  
Casao, J.A.; Dorta, P.; Caceres, J.L.; Salazar-Palma, M.; Perez, J.;  
Microwave and Millimeter-Wave Monolithic Circuits Symposium, 1992. Digest  
1992  
1-3 June 1992 Page(s):123 - 126  
Digital Object Identifier 10.1109/MCS.1992.186015  
[AbstractPlus](#) | Full Text: [PDF\(256 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **16. An enhanced GaAs monolithic transimpedance amplifier for low noise ar**  
**optical communications**  
Casao, J.A.; Dorta, P.; Caceres, J.L.; Salazar-Palma, M.; Perez, J.;  
Microwave Symposium Digest, 1992., IEEE MTT-S International  
1-5 June 1992 Page(s):85 - 88 vol.1  
Digital Object Identifier 10.1109/MWSYM.1992.187913  
[AbstractPlus](#) | Full Text: [PDF\(268 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **17. A 3 GHz transimpedance OEIC receiver for 1.3-1.55  $\mu\text{m}$  fiber-optic system**  
Chang, G.-K.; Hong, W.P.; Gimlett, J.L.; Bhat, R.; Nguyen, C.K.; Sasaki, G.; Y;  
Photonics Technology Letters, IEEE  
Volume 2, Issue 3, March 1990 Page(s):197 - 199  
Digital Object Identifier 10.1109/68.50888  
[AbstractPlus](#) | Full Text: [PDF\(256 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ **18. A 49-GHz preamplifier with a transimpedance gain of 52 dB $\Omega$  using InP H**  
Shigematsu, H.; Sato, M.; Suzuki, T.; Takahashi, T.; Imanishi, K.; Hara, N.; Oh  
Watanabe, Y.;  
Solid-State Circuits, IEEE Journal of  
Volume 36, Issue 9, Sept. 2001 Page(s):1309 - 1313  
Digital Object Identifier 10.1109/4.944656  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(152 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

- ☐ **19. CMOS optical receiver chipset for gigabit Ethernet applications**  
Sung-Eun Kim; Seong-Jun Song; Sung Min Park; Hoi-Jun Yoo;  
Circuits and Systems, 2003. ISCAS '03. Proceedings of the 2003 International  
Volume 1, 25-28 May 2003 Page(s):1-29 - 1-32 vol.1  
[AbstractPlus](#) | Full Text: [PDF](#)(374 KB) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **20. Design of wideband low noise transimpedance amplifiers for optical com**  
Yahya, C.B.;  
Circuits and Systems, 2000. Proceedings of the 43rd IEEE Midwest Symposiu  
Volume 2, 8-11 Aug. 2000 Page(s):804 - 807 vol.2  
Digital Object Identifier 10.1109/MWSCAS.2000.952877  
[AbstractPlus](#) | Full Text: [PDF](#)(320 KB) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **21. Transimpedance amplifier with differential photodiode current sensing**  
Zand, B.; Phang, K.; Johns, D.A.;  
Circuits and Systems, 1999. ISCAS '99. Proceedings of the 1999 IEEE Interna  
on  
Volume 2, 30 May-2 June 1999 Page(s):624 - 627 vol.2  
Digital Object Identifier 10.1109/ISCAS.1999.780842  
[AbstractPlus](#) | Full Text: [PDF](#)(292 KB) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **22. InP/InGaAs HBT ICs for 40 Gbit/s optical transmission systems**  
Suzuki, H.; Watanabe, K.; Ishikawa, K.; Masuda, H.; Ouchi, K.; Tanoue, T.; Ta  
Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 1997. Technical Di  
Annual  
12-15 Oct. 1997 Page(s):215 - 218  
Digital Object Identifier 10.1109/GAAS.1997.628272  
[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **23. Surface related failure mechanisms in polyimide passivated L -band MMI**  
Halkias, G.; Christou, A.; Huang, K.; Li, J.; Papanicolaou, N.;  
Reliability Physics Symposium, 1993. 31st Annual Proceedings., International  
23-25 March 1993 Page(s):375 - 379  
Digital Object Identifier 10.1109/RELPHY.1993.283272  
[AbstractPlus](#) | Full Text: [PDF](#)(396 KB) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **24. Monolithically integrated four-channel receiver array using diffused InGa**  
**technology)**  
Mansfield, C.; Newson, D.J.; Birdsall, P.; Quayle, J.A.; Young, R.; MacBean, N  
R.P.;  
Electronics Letters  
Volume 27, Issue 18, 29 Aug. 1991 Page(s):1632 - 1633  
[AbstractPlus](#) | Full Text: [PDF](#)(172 KB) IEE JNL
  
- ☐ **25. A 2.5-V 45-Gb/s decision circuit using SiGe BICMOS logic**  
Dickson, T.O.; Beerkens, R.; Voinigescu, S.P.;  
Solid-State Circuits, IEEE Journal of  
Volume 40, Issue 4, April 2005 Page(s):994 - 1003  
Digital Object Identifier 10.1109/JSSC.2004.842828  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1752 KB) IEEE JNL  
[Rights and Permissions](#)



[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE -

1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------